



MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING

BUILDING CODE COMPLIANCE OFFICE
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 375-2908

CONTRACTOR LICENSING SECTION
(305) 375-2527 FAX (305) 375-2558

CONTRACTOR ENFORCEMENT DIVISION
(305) 375-2966 FAX (305) 375-2908

PRODUCT CONTROL DIVISION
(305) 375-2902 FAX (305) 372-6339

PRODUCT CONTROL NOTICE OF ACCEPTANCE

Stanley Access Technologies
65 Scott Swamp Road
Farmington ,CT 06032

Your application for Notice of Acceptance (NOA) of:

Dara-Glide 2000, 3000 Automatic Sliding Glass Door

under Chapter 8 of the Code of Miami-Dade County governing the use of Alternate Materials and Types of Construction, and completely described herein, has been recommended for acceptance by the Miami-Dade County Building Code Compliance Office (BCCO) under the conditions specified herein.

This NOA shall not be valid after the expiration date stated below. BCCO reserves the right to secure this product or material at any time from a jobsite or manufacturer's plant for quality control testing. If this product or material fails to perform in the approved manner, BCCO may revoke, modify, or suspend the use of such product or material immediately. BCCO reserves the right to revoke this approval, if it is determined by BCCO that this product or material fails to meet the requirements of the South Florida Building Code.

The expense of such testing will be incurred by the manufacturer.

ACCEPTANCE NO.: 01-0718.01
EXPIRES: 12/04/2006

Raul Rodriguez
Chief Product Control Division

THIS IS THE COVERSHEET, SEE ADDITIONAL PAGES FOR SPECIFIC AND GENERAL
CONDITIONS
BUILDING CODE & PRODUCT REVIEW COMMITTEE

This application for Product Approval has been reviewed by the BCCO and approved by the Building Code and Product Review Committee to be used in Miami-Dade County, Florida under the conditions set forth above.

Francisco J. Quintana, R.A.
Director
Miami-Dade County
Building Code Compliance Office

APPROVED: 01/03/2002

APPROVED: January 3, 2002

EXPIRES: December 4, 2006

NOTICE OF ACCEPTANCE: SPECIFIC CONDITIONS

1. SCOPE

- 1.1 This **renews** Notice of Acceptance (NOA) No. **98-0608.06**, which was issued on November 12, 1998. It renews the approval of an automatic sliding glass door, as described in Section 2 of this NOA, designed to comply with the South Florida Building Code (SFBC), 1994 Edition for Miami-Dade County, for the locations where the pressure requirements, as determined by SFBC Chapter 23, do not exceed the Design Pressure Rating values indicated in the approved drawings.

2. PRODUCT DESCRIPTION

- 2.1 The Series "**Dura-glide 2000/3000**" Automatic Sliding Glass Door and its components shall be constructed in strict compliance with the following document: Drawing No **M95-06A**, Sheets 1 through 1 of 1, titled "Anchor for Dura-glide 2000 and 3000", prepared by Stanley Access Technologies, dated October 13, 1998, bearing the Miami-Dade County Product Control renewal stamp with the NOA number and expiration date by the Miami-Dade County Product Control Division. This document shall hereinafter be referred to as the approved drawings.

3. LIMITATIONS

- 3.1 This approval applies to single unit applications only, as shown in approved drawings.

4. INSTALLATION


- 4.1 The automatic sliding glass door and its components shall be installed in strict compliance with the approved drawings.
- 4.2 The installation of this product **will require** a hurricane protection system.

5. LABELING

- 5.1 Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved".

6. BUILDING PERMIT REQUIREMENTS

- 6.1 Application for building permit shall be accompanied by copies of the following:
- 6.1.1 This Notice of Acceptance
- 6.1.2 Duplicate copies of the approved drawings, as identified in Section 2 of this Notice of Acceptance, clearly marked to show the components selected for the proposed installation.
- 6.1.3 Any other documents required by the Building Official or the South Florida Building Code (SFBC) in order to properly evaluate the installation of this system.



Raul Rodriguez, Chief
Product Control Division


APPROVED: January 3, 2002

EXPIRES: December 4, 2006

NOTICE OF ACCEPTANCE: STANDARD CONDITIONS

1. Renewal of this Acceptance (approval) shall be considered after a renewal application has been filed and the original submitted documentation, including test supporting data, engineering documents, are no older than eight (8) years.
2. Any and all approved products shall be permanently labeled with the manufacturer's name, city, state, and the following statement: "Miami-Dade County Product Control Approved", or as specifically stated in the specific conditions of this Acceptance.
3. Renewals of Acceptance will not be considered if:
 - a) There has been a change in the South Florida Building Code affecting the evaluation of this product and the product is not in compliance with the code changes;
 - b) The product is no longer the same product (identical) as the one originally approved;
 - c) If the Acceptance holder has not complied with all the requirements of this acceptance, including the correct installation of the product;
 - d) The engineer who originally prepared, signed and sealed the required documentation initially submitted is no longer practicing the engineering profession.
4. Any revision or change in the materials, use, and/or manufacture of the product or process shall automatically be cause for termination of this Acceptance, unless prior written approval has been requested (through the filing of a revision application with appropriate fee) and granted by this office.
5. Any of the following shall also be grounds for removal of this Acceptance:
 - a) Unsatisfactory performance of this product or process.
 - b) Misuse of this Acceptance as an endorsement of any product, for sales, advertising or any other purpose.
6. The Notice of Acceptance number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the Notice of Acceptance is displayed, then it shall be done in its entirety.
7. A copy of this Acceptance as well as approved drawings and other documents, where it applies, shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at all time. The engineer need not reseal the copies.
8. Failure to comply with any section of this Acceptance shall be cause for termination and removal of Acceptance.
9. This Notice of Acceptance consists of pages 1, 2 and this last page 3.

END OF THIS ACCEPTANCE




Raul Rodriguez, Chief
Product Control Division

DWG NO. 9

REVISIONS					
REV	ECN NO.	DATE	DESCRIPTION	DRAWN	APPROVED
B		10/13/98	UPDATED & REDRAWN ON CAD	RWH	

SCREWS AND METHOD OF ATTACHMENT:
#12 X 1 3/4" FLAT HEAD WOOD SCREWS
ZINC PLATED, GRADE #2
SILL: DOUBLE ROW, 4" FROM EACH CORNER
WITH THE REMAINING SPACED AT 18 1/8"
O.C. THRU THRESHOLD UNDER FIXED LITES ONLY 54"
HEAD: SINGLE ROW, 6" FROM EACH CORNER
WITH REMAINING SPACED AT 24" O.C.
JAMBS: SINGLE ROW, 6" FROM EACH CORNER
WITH REMAINING SPACED AT 18" O.C.



- NOTES:
- 1) ALL ALUMINUM PARTS ARE 6063-T5 ALUMINUM
 - 2) GLAZING: 1/4" TEMPERED GLASS
 - 3) CORNER PANEL CONSTRUCTION: PANEL CORNERS ARE BUTT JOINED, SECURED WITH THREE FULL WIDTH 3/8" THREADED TIE RODS AT TOP RAIL, INTERMEDIATE HORIZONTAL MUNTIN BAR AND BOTTOM RAIL
 - 4) THE GLAZING MATERIAL IN BOTH FIXED AND SLIDING PANELS OF ALL SLIDING DOORS SHALL COMPLY WITH THE REQUIREMENTS IN THE PERFORMANCE SPECIFICATIONS AND METHODS OF TEST FOR SAFETY GLAZING MATERIALS USED IN BUILDINGS. ANSI Z 97.1-1984
 - 5) 117 VAC 15 AMP SERVICE FOR 1-2 OPERATORS, 20 AMP SERVICE FOR 3-4 OPERATORS, ELECTRICAL SERVICE TO HEADER BY ELECTRICAL CONTRACTOR.



POSITIVE DESIGN PRESSURE	+45.9 PSF
NEGATIVE DESIGN PRESSURE	-45.9 PSF

PACKAGE HEIGHT INFORMATION FOR SURFACE APPLICATIONS

PKG HT WITHOUT TRANSOM	MASONRY OPG WITHOUT TRANSOM	CAULKING ALLOWANCE	ACTUAL CLEAR OPG UNDER HEADER
7'-8"	*7'-8 1/4"	1/4"	6'-10 1/2"

PACKAGE WIDTH INFORMATION

DOOR PKG	PKG WIDTH	SLIDING DOOR OPENING	(SX) DOOR WIDTH	(SO) DOOR WIDTH	DOOR TRAVEL	MASONRY OPENING	CAULKING ALLOWANCE
9-3372	14'-0"	72"	42 5/16"	42 5/16"	36"	14'-1/2"	1/4" / SIDE






*INCLUDES 1/2" THRESHOLD WHEN RECESSING PACKAGE DEDUCT 1/2"

1 3/4" X 2 1/8" LONG X 3/16" EXTRUDED ALUMINUM APPLIED INTERLOCK SECURED WITH (2) #10-32 X 3/8 LONG FLAT HEAD SCREWS

PRODUCT RENEWED

ACCEPTANCE No. 01-0718.01
EXPIRATION DATE December 4, 2006
By [Signature]
PRODUCT CONTROL DIVISION
BUILDING CODE COMPLIANCE OFFICE
INTERIOR



APPROVED AS COMPLYING WITH THE
SOUTH FLORIDA BUILDING CODE
DATE November 13, 1998
BY [Signature]
PRODUCT CONTROL DIVISION
BUILDING CODE COMPLIANCE OFFICE
ACCEPTANCE NO. 98-0608.06

QTY	ITEM	PART NO.	DESCRIPTION
	DRAWNR. HABERERN 10/13/98		STANLEY ACCESS TECHNOLOGIES DIVISION OF THE STANLEY WORKS, FARMINGTON, CT, USA
	CHECKED:		TITLE ANCHORING FOR DURA-GLIDE (2000) & 3000
	APPROVED:		PRODUCT LINE DURA-GLIDE
	MATERIAL: N/A		SIZE B
	FINISH: N/A		DWG NO. 9
			REV B
			SCALE NONE
			SHEET 1 OF 1

DWG NO. 9